


Low-loss fiber optic spectrometer 2026 model



Overview

Thermoelectrically cooled fiber-optic spectrometer, 75 mm ultra-low stray light AvaBench, 2048×64 pixels, cooled and regulated low-noise CCD detector, USB3/ETH high-speed interface and replaceable slit, incl. AvaSoft-Basic, USB cable, desktop housing. Specify grating . VS70-PDA OEM Photodiode Array Spectrometer is a high performance compact fiber coupled spectrometer covering wide spectral range of 200 to 1000 nm. This VS70 system for industrial applications uses a modified VS70 optical engine with Horiba's type-IV Aberration-Corrected Flat-Field Holographic. Edmund Optics® is pleased to offer a curated selection of Ocean Optics products, including compact, high-performance spectrometers and compatible accessories for a wide range of optical and photonics applications.



Article Content

Ultra-Low-Loss Fiber Market Size, Share, Drivers Report 2026

The fiber enables long-distance optical transmission with superior efficiency and signal quality, supporting high-capacity networks and reducing the need for frequent signal amplification. The main

A Tunable Catadioptric Spectrometer with Bragg-Condition ...

The tunable catadioptric spectrometer was further validated in fiber-enhanced gas Raman spectroscopy experiments using standard gas samples. Overlapping Raman peaks of CH₄

Find & Compare Optics | Photonics Services

Optics Lasers & Light Sources Optomechanics Fiber Optics Detection Devices Test, Measurement & Characterization Electro-Optics & Electronics Imaging &

Ocean Optics Spectrometers | Edmund Optics

With in-stock availability and seamless integration into your workflow, Ocean Optics solutions from Edmund Optics offer a convenient path to precise and dependable

Optical Fiber Spectroscopy

Optical fibers will transmit visible light less efficiently, so there may be a loss of signal when measuring absorbance through optical fibers, especially due to the increased distance traveled.

AvaSpec-ULS2048x64TEC-EVO

The AvaSpec-ULS2048x64TEC-EVO uses a special low-noise version of the 2048×64 detector with integrated cooling. All the features mentioned above make this instrument ideally suited for

GREEN-Wave Low Cost Spectrometers | StellarNet

GREEN-Wave spectrometers offer low-cost, fiber-optic performance with models covering the 350–1150 nm range.

High Speed Back-thinned CCD Spectrometer With

The AvaSpec-ULS2048XL features Avantes' best-in-class ultra-low stray light optical bench and a high QE (quantum efficiency) back-thinned CCD detector which

Optical fiber-based open source low cost portable spectrometer

This article explores the development of a small, compact fiber-based spectrometer system designed to overcome the limitations of standard spectrometers, such as the high cost and

Developing a Cost-Effective Spectrometer: A Practical Approach

The calibration procedure used a RED TIDE USB650 Fiber Optic Spectrometer to set calibration value for various wavelength ranges, which ensured that the spectrometer's results

Ocean Optics Spectrometers | Edmund Optics

With a strong reputation in modular spectroscopy, Ocean Optics delivers reliable, easy-to-integrate solutions trusted by researchers, educators, and engineers.

Spectrometers & Spectroscopy Equipment | Edmund

Edmund Optics offers a range of optical spectrometers and compatible accessories. Our selection includes gas cells, reflectance standards, phantom samples, fiber

Integrated reconstructive spectrometer with programmable photonic ...

Here, authors present a novel integrated spectrometer with programmable photonic circuits, achieving record-high resolution and bandwidth via only a few filtering components.

Fiber Optic UV-VIS, NIR & Raman Spectrometers

Explore StellarNet miniature fiber optic spectrometers for UV-VIS, NIR, Raman, fluorescence, radiometry, process monitoring, color measurement,

Optical fiber-based open source low cost portable

Traditional optical spectrometers, with their high costs and large physical footprint, are hardly affordable for workgroups with limited funding and are unsuited to field

Fiber Optic Spectrometer

This design eliminates moving parts, dramatically enhances measurement speed (integration times as low as 1 μ s), improves mechanical stability, and enables seamless integration

Optical Spectrometer | Grating Spectrometer | Mini Spectrometer

This system is fitted with a custom multi-area order-sorting filter to eliminate higher orders and features a single-optics design for superior imaging, high sensitivity, high resolution and low stray light

Global Leader in Materials, Networking, and Lasers

Learn how Coherent empowers innovations and breakthrough technologies for the industrial, communications, electronics, and instrumentation markets.

Current advances in imaging spectroscopy and its state-of-the-art ...

A recent development in imaging spectroscopy is the integration of thin-film spectral filters on top of the image sensor. This eliminates the need for complex optical systems and moving

Optical convolutional spectrometer

A centimetre-scale convolutional spectrometer offers high performance, low cost and ~500-nm bandwidth. The system classifies diverse solid samples and quantifies concentrations of

Single-Pixel Multimode Fiber Spectrometer via Wavefront Shaping

When light passes through a multimode fiber, two-dimensional random intensity patterns are formed due to complex interference within the fiber. The extreme sensitivity of speckle patterns to

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://estlascleaning.co.za>

Email: info@estlascleaning.co.za

Phone: +27 63 214 8579

Address: 22 Oxford Road, Parktown, Johannesburg, 2193, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

